

PERCUTANEOUS CORONARY INTERVENTION ESSENTIALS WORKSHOP

REFERENCE LIST



David G O'Brien,
MD FRCP

Reference list

Ali, ZA, Gao, R, Kimura, T, et al. 2018. Three-Year Outcomes With the Absorb Bioresorbable Scaffold: Individual-Patient-Data Meta-Analysis From the ABSORB Randomized Trials. *Circulation*. **137**: 464–479. [PMID: 29089314](#)

Amsterdam, EA, Wenger, NK, Brindis, RG, et al. 2014. 2014 AHA/ACC Guideline for the Management of Patients with Non-ST-Elevation Acute Coronary Syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. **64**: e139–e228. [PMID: 25260718](#)

Ashby, DT, Aymong, EA, Tcheng, JE, et al. 2003. Outcomes following bail-out abciximab administration during primary intervention in acute myocardial infarction (the CADILLAC trial). *Am J Cardiol*. **92**: 1091–1094. [PMID: 14583362](#)

Cannon, CP, Bhatt, DL, Oldgren, J, et al. 2017. Dual Antithrombotic Therapy with Dabigatran after PCI in Atrial Fibrillation. *N Engl J Med*. **377**: 1513–1524. [PMID: 28844193](#)

Cohen, MV and Gorlin, R. 1975. Main left coronary artery disease. Clinical experience from 1964–1974. *Circulation*. **52**: 275–285. [PMID: 1080085](#)

Davies, JE, Sen, S, Dehbi, HM, et al. 2017. Use of the Instantaneous Wave-free Ratio or Fractional Flow Reserve in PCI. *N Engl J Med*. **376**: 1824–1834. [PMID: 28317458](#)

De Bruyne, B, Pijls, NH, Kalesan, B, et al. 2012. Fractional flow reserve-guided PCI versus medical therapy in stable coronary disease. *N Engl J Med*. **367**: 991–1001. [PMID: 2292463](#)

Dewilde, WJ, Oirbans, T, Verheugt, FW, et al. 2013. Use of clopidogrel with or without aspirin in patients taking oral anticoagulant therapy and undergoing percutaneous coronary intervention: an open-label, randomised, controlled trial. *Lancet*. **381**: 1107–1115. [PMID: 23415013](#)

Ellis, SG, Ajluni, S, Arnold, AZ, et al. 1994. Increased coronary perforation in the new device era. Incidence, classification, management, and outcome. *Circulation*. **90**: 2725–2730. [PMID: 7994814](#)

Farooq, V, van Klaveren, D, Steyerberg, EW, et al. 2013. Anatomical and clinical characteristics to guide decision making between coronary artery bypass surgery and percutaneous coronary intervention for individual patients: development and validation of SYNTAX score II. *Lancet*. **381**: 639–650. [PMID: 23439103](#)

Fihn, SD, Gardin, JM, Abrams, J, et al. 2012. 2012 ACCF/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. **60**: e44–e164. [PMID: 23182125](#)

Göteborg, M, Christiansen, EH, Gudmundsdottir, IJ, et al. 2017. Instantaneous Wave-free Ratio versus Fractional Flow Reserve to Guide PCI. *N Engl J Med*. **376**: 1813–1823. [PMID: 28317438](#)

Hillis, LD, Smith, PK, Anderson, JL, et al. 2011. 2011 ACCF / AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. *J Am Coll Cardiol*. **58**: e123–e210. [PMID: 22070836](#)

Jolly, SS, Yusuf, S, Cairns, J, et al. 2011. Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): a randomised, parallel group, multicentre trial. *Lancet*. **377**: 1409–1420. [PMID: 21470671](#)

Lee, MS, Singh, V, Nero, TJ, et al. 2002. Cutting balloon angioplasty. *J Invasive Cardiol*. **14**: 552–556. [PMID: 12205358](#)

Levine, GN, Bates ER, Blankenship, JC, et al. 2011. 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. *J Am Coll Cardiol*. **58**: e44–e122. [PMID: 22070834](#)

- Louvard, Y and Medina, A. 2015. Definitions and classifications of bifurcation lesions and treatment. *EuroIntervention*. **11**: V23–V26. [PMID: 25983165](#)
- Mäkikallio, T, Holm, NR, Lindsay, M, et al. 2016. Percutaneous coronary angioplasty versus coronary artery bypass grafting in treatment of unprotected left main stenosis (NOBLE): a prospective, randomised, open-label, non-inferiority trial. *Lancet*. **388**: 2743–2752. [PMID: 27810312](#)
- Mehran, R, Aymong, ED, Nikolsky, E, et al. 2004. A simple risk score for prediction of contrast-induced nephropathy after percutaneous coronary intervention: development and initial validation. *J Am Coll Cardiol*. **44**: 1393–1399. [PMID: 15464318](#)
- Mehta, SR, Yusuf, S, Peters, RJG, et al. 2001. Effects of pretreatment with clopidogrel and aspirin followed by long-term therapy in patients undergoing percutaneous coronary intervention: the PCI-CURE study. *Lancet*. **358**: 527–533. [PMID: 11520521](#)
- Montalescot, G, Sechtem, U, Achenbach, S, et al. 2013. 2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. *Eur Heart J*. **34**: 2949–3003. [PMID: 23996286](#)
- Myint, PK, Kwok, CS, Roffe, C, et al. 2016. Determinants and Outcomes of Stroke Following Percutaneous Coronary Intervention by Indication. *Stroke*. **47**: 1500–1507. [PMID: 27165953](#)
- Nashef, SA, Roques, F, Sharples, LD, et al. 2012. EuroSCORE II. *Eur J Cardiothorac Surg*. **41**: 734–744. [PMID: 22378855](#)
- Neumann, FJ, Sousa-Uva, M, Ahlsson, A, et al. 2019. 2018 ESC/EACTS Guidelines on myocardial revascularization. *Eur Heart J*. **40**: 87–165. [PMID: 30165437](#)
- O’Gara, PT, Kushner, FG, Ascheim, DD, et al. 2013. 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*. **127**: e362–e425. [PMID: 23247304](#)

Park, DW, and Park, SJ. 2017. Percutaneous Coronary Intervention of Left Main Disease: Pre- and Post-EXCEL (Evaluation of XIENCE Everolimus Eluting Stent Versus Coronary Artery Bypass Surgery for Effectiveness of Left Main Revascularization) and NOBLE (Nordic-Baltic-British Left Main Revascularization Study) Era. *Circ Cardiovasc Interv.* **10**: e004792. [PMID: 28607000](#)

Patti, G, Pasceri, V, Colonna, G, et al. 2007. Atorvastatin pretreatment improves outcomes in patients with acute coronary syndromes undergoing early percutaneous coronary intervention: results of the ARMYDA-ACS randomized trial. *J Am Coll Cardiol.* **49**: 1272–1278. [PMID: 17394957](#)

Rockwood, K, Song, X, MacKnight, C, et al. 2005. A global clinical measure of fitness and frailty in elderly people. *CMAJ.* **173**: 489–495. [PMID: 16129869](#)

Rolfson, DB, Majumdar, SR, Tsuyuki, RT, et al. 2006. Validity and reliability of the Edmonton Frail Scale. *Age Ageing.* **35**: 526–529. [PMID: 16757522](#)

Romagnoli, E, Blondi-Zoccai, G, Sciahbasi, A, et al. 2012. Radial versus femoral randomized investigation in ST-segment elevation acute coronary syndrome: the RIFLE-STEACS (Radial Versus Femoral Randomized Investigation in ST-Elevation Acute Coronary Syndrome) study. *J Am Coll Cardiol.* **60**: 2481–2489. [PMID: 22858390](#)

Ryan, TJ, Faxon, DP, Gunnar, RM, et al. 1988. Guidelines for percutaneous transluminal coronary angioplasty. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee on Percutaneous Transluminal Coronary Angioplasty). *Circulation.* **78**: 486–502. [PMID: 2969312](#)

Sawaya, FJ, Lefèvre, T, Chevalier, B, et al. 2016. Contemporary Approach to Coronary Bifurcation Lesion Treatment. *JACC Cardiovasc Interv.* **9**: 1861–1878. [PMID: 27659563](#)

Secco, GG, Ghione, M, Mattesini, A, et al. 2016. Very high-pressure dilation for undilatable coronary lesions: indications and results with a new dedicated balloon. *EuroIntervention.* **12**: 359–365. [PMID: 26111405](#)

Sotomi, Y, Onuma, Y, Collet, C, et al. 2017. Bioresorbable Scaffold: The Emerging Reality and Future Directions. *Circ Res.* **120**: 1341–1352. [PMID: 28408454](#)

Stone, GW, Sabik, JF, Serruys, PW, et al. 2016. Everolimus-Eluting Stents or Bypass Surgery for Left Main Coronary Artery Disease. *N Engl J Med.* **375**: 2223–2235.

[PMID: 27797291](#)

Taylor, HA, Deumite, NJ, Chaitman, BR, et al. 1989. Asymptomatic left main coronary artery disease in the Coronary Artery Surgery Study (CASS) registry. *Circulation.* **79**:

1171–1179. [PMID: 2785870](#)

TIMI Study Group. 1985. The Thrombolysis in Myocardial Infarction (TIMI) trial. Phase I findings. *N Engl J Med.* **312**: 932–936. [PMID: 4038784](#)

Tonino, PA, De Bruyne, B, Pijls, NH, et al. 2009. Fractional flow reserve versus angiography for guiding percutaneous coronary intervention. *N Engl J Med.* **360**:

213–224. [PMID: 19144937](#)

Wallentin, L, Becker, RC, Budaj, A, et al. 2009. Ticagrelor versus clopidogrel in patients with acute coronary syndromes. *N Engl J Med.* **361**: 1045–1057. [PMID: 19717846](#)

Wiviott, SD, Braunwald, E, McCabe, CH, et al. 2007. Prasugrel versus clopidogrel in patients with acute coronary syndromes. *N Engl J Med.* **357**: 2001–2015.

[PMID: 17982182](#)

Yusuf, S, Zhao, F, Mehta, SR, et al. 2001. Effects of clopidogrel in addition to aspirin in patients with acute coronary syndromes without ST-segment elevation. *N Engl J Med.* **345**: 494–502. [PMID: 11519503](#)

Zhang, J, Gao, X, Kan, J, et al. 2018. Intravascular Ultrasound Versus Angiography-Guided Drug-Eluting Stent Implantation: The ULTIMATE Trial. *J Am Coll Cardiol.* **72**:

3126–3137. [PMID: 30261237](#)

Zimmermann, FM, Ferrara, A, Johnson, NP, et al. 2015. Deferral vs. performance of percutaneous coronary intervention of functionally non-significant coronary stenosis:

15-year follow-up of the DEFER trial. *Eur Heart J.* **36**: 3182–3188. [PMID: 26400825](#)



Become an expert by learning the most important clinical skills at www.medmastery.com.